


# POLISHED PORCELAIN TILES 600X600MM



One Stone N Face,Beauty Surface  
**一石多面，面面有料**


使用干法布料技术，提炼出天然石材的颜色、纹路、肌理，一石更多面，再现名贵石材风貌。

The use of dry cloth technology to extract the color, pattern, texture of natural stone, more surface of one stone, and the appearance of famous and precious stone.

Same As One,Nature As True  
**表里如一，自然如真**

使用深度解析专有技术，实现由表及里的全通体纹路效果，表里如一，品质恒久如新。

The use of proprietary technology to achieve the depth of analysis, the whole body be the same outside and inside, the quality of lines, forever new.



## 面与体 · 简约之美

面与体都是几何学里的概念，是立面空间的基本元素，同时它也是艺术最基本的载体元素。它们有着极强的延伸性，点睛之处却蕴藏在细节之间，通过在设计上的奇思妙想和大胆尝试，可以构造出丰富、舒适而富于趣味的空间。外观并未带任何的装饰和曲线，冷峻的直线条组合，就准确勾勒出一种方正和刚硬的质感，以新一代的视觉效果发掘现代人居的更多可能性。


## THE BEAUTY OF SIMPLICITY

Both surface and body are the concepts of geometry, the basic elements of elevation space, and it is also the most basic carrier elements of art. They have a strong stretchability, but the finishing touch is hidden between the details, through the design of fantastic ideas and bold attempts, you can construct a rich, comfortable and interesting space.  
800X800 full body marble tile, without any decoration and curves, cold linear combination, accurately outlined a square and rigid texture, with a new generation of visual effects to explore more possibilities of modern living.



DZ

600x600mm



CK6Y627PA

12 layout

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



USE: CK6Y627PA



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption




USE:CB6Y235PA

- 07 -

DZ  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y235PA

12 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption

- 08 -

DZ

600x600mm



CB6Y022PA  
CK6Y362PA  
CK6A011PA

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)

12 layout



USE:CK6Y362PA



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption



DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y066PA  
CK6Y440PA

9 layout



DZ  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y288PA  
CK6Y574PA

16 layout



USE: CK6Y574PA





USE:CB6Y287PA

DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y287PA

12 layout

<0.09%  
Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



USE: CK6Y626PA

DZ  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CK6Y626PA

10 layout

<0.09%  
Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption

DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 纤光 Rustic Tile)



CB6Y158PA

8 layout



USE: CB6Y158PA



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption

DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CK6Y616PA

8 layout



CK6Y617PA

8 layout



USE: CK6Y616PA


# DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



CK6Y080PA

8 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



USE: CK6Y080PA

DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



CK6Y618PA

8 layout



CK6Y619PA

8 layout



USE: CK6Y619PA



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption



DZ  
600x600mm-

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CK6Y620PA

8 layout



CK6Y621PA

8 layout

USE: CK6Y621PA



DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



CB6Y071PA  
CK6Y070PA

1x2M(RANDOM)




CB6Y204PA  
CK6Y549PA


6 layout  
Free Link



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption




USE: CK6Y549PA





USE: CK6Y091PA



DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y124PA  
CK6Y091PA  
CK6A001PA


6 layout

V3 Moderate Variation  
 in Interior  
 Floor Tiles  
 Wall Tiles  
 Residential  
 Commercial  
 <0.09% Water Absorption

DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y064PA  
CK6Y409PA

6 layout



CB6Y057PA  
CK6Y412PA

6 layout



USE: CK6Y409PA



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption



USE: CK6Y414PA

DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y056PA  
CK6Y413PA

6 layout



CB6Y055PA  
CK6Y414PA

6 layout




Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



DZ

600x600mm




CB6Y-PA(全抛 Glazed Polished Tile)

CK6Y-PA(全抛 Glazed Polished Tile)

CK6A-PA(缎光 Rustic Tile)

CB6Y047PA  
CK6Y419PA

6 layout



CB6Y141PA  
CK6Y324PA

6 layout




USE:CK6Y324PA

# DZ


600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
 CK6Y-PA(全抛 Glazed Polished Tile)  
 CK6A-PA(缎光 Rustic Tile)



CB6Y280PA  
 CK6Y060PA

1x2M(RANDOM)



CB6Y019PA  
 CK6Y019PA  
 CK6A008PA

1x3M(RANDOM)



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption



USE: CK6Y019PA



**DZ**  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y045PA  
CK6Y104PA  
CK6A004PA

1x3M(RANDOM)



Moderate Variation   Interior   Floor Tiles   Wall Tiles   Residential   Commercial   Water Absorption



CB6Y052PA  
CK6Y260PA  
CK6A007PA

1x2M(RANDOM)

DZ

600x600mm



CB6Y207PA  
CK6Y055PA

6 layout



CB6Y033PA  
CK6Y057PA

1x2M(RANDOM)



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



USE: CK6Y055PA




DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



CB6Y021PA  
CK6Y246PA  
CK6A012PA

1x2M(RANDOM)

V3  
 in  
 Floor Tiles  
 Wall Tiles  
 Residential  
 Commercial  
 <0.09%  
Moderate Variation Interior Residential Commercial Water Absorption

DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CK6Y579PA

6 layout



CK6Y580PA

6 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption




USE: CK6Y579PA



DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CK6Y581PA

6 layout



CK6Y582PA

6 layout

USE: CK6Y582PA



DZ

600x600mm


CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)

   
Moderate Variation Interior

   
Floor Tiles Wall Tiles

   
Residential Commercial

<0.09% Water Absorption



CK6Y613PA

6 layout



CK6Y615PA

6 layout



CK6Y614PA

6 layout



CK6Y625PA

6 layout




DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



Moderate Variation	Interior	Floor Tiles	Wall Tiles	Residential	Commercial	<0.09%



# DZ

600x600mm




CB6Y-PA(全抛 Glazed Polished Tile)

CK6Y-PA(全抛 Glazed Polished Tile)

CK6A-PA(缎光 Rustic Tile)

CB6Y025PA  
CK6Y039PA  
CK6A009PA

1x4M(RANDOM)



CB6Y024PA  
CK6Y364PA

5 layout


V3  
Moderate Variation  
 in  
Interior  
 Floor Tiles  
 Wall Tiles  
 Residential  
 Commercial  
 <0.09%



DZ

600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y290PA  
CK6Y576PA

6 layout



CB6Y291PA

4 layout

USE: CK6Y576PA



DZ


600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y014PA  
CK6Y408PA

4 layout



CB6Y015PA  
CK6Y407PA

4 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



USE: CK6Y408PA


# DZ

—  
600x600mm—

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



USE: CB6Y020PA



CB6Y016PA

4 layout



CB6Y020PA

4 layout




DZ

600x600mm

CB6Y-PA (全抛 Glazed Polished Tile)  
CK6Y-PA (全抛 Glazed Polished Tile)  
CK6A-PA (缎光 Rustic Tile)




USE: CK6Y186PA



CB6Y037PA  
CK6Y186PA

4 layout



CB6Y027PA  
CK6Y185PA  
CK6A005PA

4 layout



# DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



4 layout

CB6Y133PA  
CK6Y187PA



Moderate Variation Interior Floor Tiles Residential Commercial Water Absorption




USE: CK6Y187PA




DZ  
600x600mm


CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y065PB  
CK6Y385PB  
4 layout



CB6Y279PB  
4 layout



CB6Y134PB  
CK6Y188PB  
4 layout





USE: CB6Y018PA

DZ  
600x600mm-

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y018PA 4 layout



CB6Y017PA 4 layout



DZ  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)

V3 in ! ⌂ Residential <0.09%  
Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



CB6Y159PA

4 layout



CB6Y157PA

4 layout



USE: CB6Y159PA


# DZ

600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 缎光 Rustic Tile)



CB6Y040PA  
CK6Y108PA

4 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



USE:CK6Y108PA

DZ

600x600mm



CB6Y036PA

4 layout

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



USE:CB6Y155PA



USE:CB6Y036PA

V3  
Moderate Variation    in  
Interior    Floor Tiles    Wall Tiles    Residential    Commercial    <0.09%  
Water Absorption



CB6Y155PA

4 layout

DZ

600x600mm



CB6Y046PA  
CK6Y416PA

4 layout



CB6Y054PA  
CK6Y415PA

4 layout

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



USE: CK6Y415PA



<0.09%  
Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption

DZ


600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CB6Y060PA  
CK6Y411PA

4 layout



CB6Y041PA  
CK6Y410PA

4 layout



Moderate Variation Interior Floor Tiles Residential Commercial Water Absorption



DZ

600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CK6Y611PA

4 layout




CK6Y623PA

4 layout



Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



CK6Y624PA

4 layout




DZ  
600x600mm-

CB6Y-PA( 全抛 Glazed Polished Tile)  
CK6Y-PA( 全抛 Glazed Polished Tile)  
CK6A-PA( 缎光 Rustic Tile)



CB6Y292PA

3 layout




CB6Y023PA

3 layout

V3  
Moderate Variation    in  
Interior    Floor Tiles    Wall Tiles    Residential    Commercial    <0.09%  
Water Absorption

**DZ**  
600x600mm

CB6Y-PA(全抛 Glazed Polished Tile)  
CK6Y-PA(全抛 Glazed Polished Tile)  
CK6A-PA(缎光 Rustic Tile)



CK6Y041PA

1x2M(RANDOM)



CB6Y138PA

CK6Y128PA

2 layout

<0.09%  
Moderate Variation Interior Floor Tiles Wall Tiles Residential Commercial Water Absorption



CB6Y012PB  
CK6Y042PB

1 layout  
CB6Y013PA  
CK6Y046PA





DZ  
600x600mm

CB6Y-PA( 全抛 Glazed Polished Tile)

CK6Y-PA( 全抛 Glazed Polished Tile)

CK6A-PA( 玻光 Rustic Tile)




CB6Y029PA 1 layout  
CK6Y107PA




CB6Y044PB 1 layout  
CK6Y029PB



CB6Y032PA 1 layout  
CK6Y049PA



CB6Y000PA 1 layout  
CK6Y000PA  
CK6A000PA whiteness 65°



CK6Y000PB 1 layout  
whiteness 70°

Moderate Variation	Interior	Floor Tiles	Wall Tiles	Residential	Commercial	<0.09%

## 东展瓷砖 / 多元化的空间应用 Diversified Space Application



## THE ADVANTAGES OF PRODUCT

### 产品优势

瓷砖坯体与表面纹理颜色基本一致的瓷砖的升级产品。天然石材的外表和内坯具有一致性，而传统瓷砖在效果上很难达到这一点，从而，后期深度加工时遇到拉槽、倒角、圆弧等处理时就可以明显看到内部不同色彩的坯体，与瓷砖釉面效果形成巨大的反差，看起来很不协调，让人遗憾。而通体大理石瓷砖制作工艺及系统就是为了改进这一问题，要把坯体色彩与纹理做到接近表面效果，甚至一致，做到真正的表里如一。

- 1、瓷砖在瓷砖坯体上，颜色、肌理、功能无限地逼近天然石材岩层质变效果，纹理质感通透更强。
- 2、全立体布料与混色着色工艺相结合，使瓷砖坯体底层到面釉层做到表里如一，整个砖体从任何角度及任何切割方法都能达到完美的纹理呈现效果，做到真正的纹理通体。
- 3、瓷砖产品经过高吨位压机压制成型及高温烧制，成品砖坯色泽更加细腻，性能和品质更高。
- 4、档次更高！天然石材的外表和内坯具有一致性，瓷砖逼真还原天然珍贵石材，更加拉近瓷砖产品与天然大理石产品的距离。
- 5、瓷砖坯体充满变化纹理，产品与空间充满灵魂，不仅仅设计师喜欢，做出来的效果逼真自然优雅，更能满足消费者需求。

Ceramic tile body and surface texture color is basically the same as the upgrade of ceramic tile products. The appearance of natural stone is consistent with the inner body, but the effect of traditional ceramic tile is difficult to achieve this point. Therefore, in the later deep processing, when encountering groove, chamfering, arc and other processing, we can obviously see the green body with different colors inside, which forms a huge contrast with the glaze effect of ceramic tile. It seems very incongruous and regrettable. The whole body marble tile production process and system is to improve this problem, to make the green body color and texture close to the surface effect, or even consistent, so that the real appearance is the same.

- 1.The color, texture and function of the ceramic tile body are infinitely close to the natural stone, and the texture is more transparent.
2. The combination of full three-dimensional cloth and mixed color coloring technology can make the bottom layer of ceramic tile body to the surface glaze layer be the same, and the whole brick body can achieve the perfect texture rendering effect from any angle and any cutting method, so as to achieve the real texture whole body.
3. Ceramic tile products are pressed by high tonnage press and fired at high temperature, resulting in more delicate color, higher performance and quality.
4. Higher grade! The appearance of the natural stone is consistent with that of the inner body. The ceramic tile is lifelike and can restore the natural precious stone and shorten the distance between the ceramic tile products and the natural marble products.
5. Ceramic tile body is full of changing texture, products and space are full of soul, not only designers like, the effect is realistic, natural and elegant, but also can meet the needs of consumers.

## 欧洲标准与国家标准、企业内控标准对比表

Comparison Table Of European Standard, National Standard And Enterprise Internal Control Standard

	产品执行标准 Product executive standard	标准要求 Standard Requirements	欧洲要求 European Requirements	永航企业 Yonghang Enterprise
吸水率 Water Absorption	GB/T4100 · 2006	≤0.5%	≤0.5%	≤0.03 %
破坏强度、断裂模数 Failure Strength And Modulus Of Rupture	GB/T4100 · 2006	≥1300N ≥35mpa	≥27mpa	≥1800N ≥40mpa
长 度 Length	GB/T4100 · 2006	±1.0mm	±0.6%	±0.5mm
宽 度 Width	GB/T4100 · 2006	±1.0mm	±0.6%	±0.1%
厚 度 Thickness	GB/T4100 · 2006	±5.0mm	±5%	8±0.3
表面平整度 Surface Flatness	GB/T4100 · 2006	±0.2%	±0.5%	±0.15%
直角度 Right Angle	GB/T4100 · 2006	±0.2%	±0.5%	±0.15%
边直度 Straight Edge Degree	GB/T4100 · 2006	±0.2%	±0.6%	±0.15%
耐磨度 Wear Resistance	GB/T4100 · 2006	≤175mm <sup>2</sup>	<205mm <sup>2</sup>	≤ 220mm <sup>2</sup>
线性热膨胀系数 Linear Thermal Expansion	GB/T4100 · 2006		<9*10-6K-1	≤160mm <sup>2</sup>
抗热震性 Thermal Shock Resistance	GB/T4100 · 2006	经10次急冷急热循环不出现 炸裂或者裂纹 After 10 times of quenching and heating cycle, there is no crack or explosion	认可Approve	符合 Match
抗冻性 Frost Resistance	GB/T4100 · 2006	经抗冷性实验后应无裂纹 或剥落 There shall be no crack or spalling after cold resistance test	同 EN176	≥55
光泽度 Gloss	GB/T4100 · 2006	≥55		
放射性 Radioactivity	GB6566 — 2001.A Category	1Ra≤1 1r≤1.3		1Ra≤0.6 1r≤1.2

品类 (Category)	CK6Y PA(亮光 Glazed Polished Tile) CK6A PA(缎光 Rustic Tile)	CB6Y PA(亮面 Glazed Polished Tile)
规格 (Size)	600*600*9	600*600*8
厚度 (Thickness)	9±0.3	8±0.3
吸水率 (Water Absorption)	≤ 0.5	≤ 0.5
片 / 箱 (Sheet / Case)	4	4
4 条方木托 (Wood Pallet)	1.1*1.1	1.1*1.1
打托方式 Playing And Supporting	箱 / 托 Box / Tray	40
每箱净重 Net Weight Per Case	30	25
实际重量 Actual Weight	28.5-29	25-26
		25-26