

T10 Handheld Inkjet Printer

We Got You Covered





Metal & Aluminum





Hard Plastic



packaging bag



Construction Materials



CALL +86 756 72556



www.correct-pack.com

info@correct-pack.com ☐

Floor 3, Building 1, No. 728, Jinhu Road, Sanzao Town, Jinwan District, Zhuhai City, Guangdong, China

Product advantage



Wide application





Easy to use



Smart detection



Ultra long standby



U disk



HD coding



One-click printing

Product features

Intelligent

5 inch LCD touch screen, embedded intelligent operation system for any industry product or substrate.

Handheld and online

Removeable battery, support handhled and online with conveyor.

Smart Design

Industrial design, reasonable equipment center of gravity, suitable for long operation. Engineering plastic shell, body more light.

Large message capacity

USB can be connected, and can be stored indefinitely. It can Edit files and data times on the printer without connecting to a PC.

Multiplex Printing

Support solid font, bitmap font, import Chinese and English, number, data, QRcode, barcode, and 1-8 variable serial number.

Ink Management

Automatic ink recognition with adjustment to printing parameters, Original HP inks guaranteed.





Bottle cap



Mask



Woven bag



Paper code



Metal



Tin can

2022/07/04



Carton







Product Description

Type Item Model	T10 Handheld Printer
Shape features	ABS Shell
Printing direction	adjusted within 360 degree, meet all kinds of production needs
Character type	high-definition printing character, dot matrix font, Simplified, Traditional Chinese and English
Printing pictures	Png
Printing Language	English, Alphabetic, Russian, Arabic, French, German, Polish, Vietnamese, Japanese, Greek, Korean, Turkish, Spanish, Italian, Uzbek, Portuguese, Persian, handwriting
Printing accuracy	150*150dpi; 300*300dpi
Printing line	1-8 lines (adjustable)
Printing height	2mm-12.7mm(0.5 Inck Ink Cartridge) 2mm-25.4mm(1 Inck Ink Cartridge)
Print code	Barcode, QR Code, UPCA, UPCE, EAN13, EAN8, INT25, CODE39, CODE93, EAN128, CODE128, GS1, Datamatrix, PDF147
Printing distance	1-10mm Mechanical Adjustment (the best distance between the nozzle and printed object is 2-5mm)
Message length	99 characters/ line
Printing speed	60m/max
Ink type	Quick-dry environmental ink, water-based ink and oily ink
Ink color	black, white, red, blue, yellow, green, invisible
Ink volume	42ml
External interface	USB, RS-232
Voltage	DC16.8 lithium battery
Power consumption	The average power consumption is lower than 5W
Working environment	Temperature:0 - 40 degree; Humidity: 10% - 80%
Printing material	Board, carton, stone, pipe, cable, metal, plastic product, electronic, the fiber board, light steel keel, aluminum foil, etc.
Dimension	143*74*190mm
Net weight	0.996kg
Weight	1.5kg

Specification ofhandheld inkjet printer



